#### The cooperating organisation:









Address: the Camp Association of the Czech Republic (AKČR)

Na Poříčí 6, 110 00 Prague 1 Telefon: +420 775 123 787 E-mail: info@camp.cz www.camp.cz/akcr





EVROPSKÁ UNIE EVROPSKÝ FOND PRO REGIONÁLNÍ ROZVOJ ŠANCE PRO VÁŠ ROZVOJ



The preparation and printing of the classification characteristics has been financed via the Integration Operating Program co-financed from the structural funds of the European Union and the state budget of the Czech Republic

# The categorisation

of camp and cabin sites in the Czech Republic









The preparation and printing of the classification characteristics has been financed via the Integration Operating Program co-financed from the structural funds of the European Union and the state budget of the Czech Republic

#### The rules and realisation of the categorisation:

- 1) The categorisation is valid from 1.1.2012
- 2) The categorisation remains valid for 5 years from the date of issue of the certificate.
- 3) The applications for categorisation are received by the Camp Association of the Czech Republic. Interested parties can find the necessary form on-line at www.camp.cz/akcr
- 4) The categorisation is realised free of charge for members of the Association within the framework of their membership fees, non-members pay the categorisation fee approved by the Association.
- 5) The categorisation is realised by commissioners who have been trained and who come from the ranks of the operators (the Camp Association of the Czech Republic AKČR) and the users (the Federation of Camping and Caravanning of the Czech Republic) hereafter simply referred to as the commissioners.
- 6) The categorisation is realised by the commissioners in person in the presence of the operator of the accommodation facility according to the published printed forms.
- 7) A record is kept of the realised categorisation and confirmation of the realisation of the categorisation is issued. The records and the filled-in forms are subsequently submitted to the Secretariat of the Camp Association of the Czech Republic.
- 8) The Secretariat allocates the number of stars and subsequently issues the certificate and the table with the inclusion in the appropriate category upon the basis of the evaluation of the record.
- 9) The operator may appeal against the results of the categorisation to the arbitration committee within 15 days of receiving the certificate from the evaluating committee.
- 10) The arbitration committee has three members and it consists of two trained representatives of the Camp Association of the Czech Republic (AKČR) and one representative of the Federation of Camping and Caravanning of the Czech Republic. The resulting statement will be issued within 30 days of the receipt of the appeal.
- 11) The commissioners will carry out random inspections throughout the validity of the allocated categorisation in order to check that the conditions conform to the given categorisation.
- 12) It is possible for the allocated categorisation to be changed during the course of its validity:
  - a) in the case of a change in the technical facilities at the camp site upon the basis of a request from the camp operator.
  - b) upon the basis of any ascertained differences in comparison with the allocated categorisation during the realisation of an inspection
- 13) The results of the allocated categorisation (the logo and the certificate) may be used without limitation in the published promotional and study materials of the given accommodation facility. An example of the official logo is included on the title page of this implementing regulation or jointly with the other information on the website at www.camp.cz/kategorizace

The categorisation has been prepared by a committee created by the Camp Association of the Czech Republic under the leadership of Mr Pavel Hess in 2011.

a) share as a % of the total evaluation | b) selection from possible variants | c) max. number of points | d) compulsory min. number of points for the given number of stars

evaluation:	share (a)	selecti on (b)	max. (c)	com	puls		
				2	3	4	5

5.	Wellness may also be located in the direct vicinity - at the edge of the camp site, if it can	be chec	ked
	a gymnasium		1,
	a solarium		1,
	massages		1,
	a whirlpool		1,
	a sauna		1,
	every further type of wellness (1 point)		1,
			1,
			1,
			1,
			1,
	Wellness: total (max. number of sub-points: 10)		10
5.	Wellness: total (max. number: 6)	15	6,

	Other sports equipment	this may be located in the direct vicinity at the edge of	the camp site			
	Tennis courts			3,0		
	Multi-purpose courts	1		2,0		
	Mini-golf			2,0		
	Table tennis			2,0		
	Beach volleyball			2,0		
	Trampoline			2,0		
	Bowling			2,0		
	Squash			2,0		
	Football ground			2,0		
	Every other sport no	t mentioned above (1 point)		1,0		
6.				1,0		
				1,0		
				1,0		
				1,0		
				1,0		
6.	Other sports facilit	ies (max. number of sub-points 25)		25,0		
	actual number of p	oints (max. number achieved during 12)	30	12,0		
	NIMMING SPORT AN	D ACTIVITIES: total		10,0		

evaluation:	share (a)	selecti on (b)	max. (c)	compulsory min. number (d)
				2 3 4 5

4.	Play equipment			
		( equipped with games, a theatre, activities a readers' corner)		
	Common room	The variant where the room is divided by means of a permanent or moving partition is also possible. Part of the bar or the restaurant separated by a curtain is not considered to constitute a common room.		
		the equipment is in good condition (paintings, walls, floors)		2,0
	Realisation	the room is nicely maintained and clean, especially the room for small children		1,0
	/ maintenance	the room's area corresponds to the number of guests at the camp site		2,0
		the room is functionally equipped		2,0
				7,0
	Children's playground For <12	There are at least 5 different types of play equipment available, either in one central place or spread throughout the facility. In the case of multifunctional play equipment, each separate play option is counted. There are central and non-central playgrounds available. The central playground is also suitable as a meeting place. It is a plus for small children, if the playgrounds are not located centrally. The location is of less importance in small camp sites		
	Realisation	the diversity of the play equipment		4.0
		games which expand children's imaginations have preference		4,0
		the size of the playground		4,0
	/ maintenance	the quality of the materials: stability, paintwork, a non-rusting structure, without any sharp edges and splinters		4,0
		an absorbent base zone - sand, grass, rubber sheet		2,0
		seating for the parents in attendance		2,0
	Covered playgrounds	the play area is partially or completely covered		4,0
				10,0
	Adventure	(open or covered) playgrounds with adventure equipment		
	Playgrounds	(a climbing wall, a flying fox, a rope ladder)		
	Realisation	the quality of the materials: stability, paintwork, a non-rusting structure, without any sharp edges and splinters		1,0
	/ maintenance	the options, size, multifunction options		1,0
		an absorbent base zone - sand, grass, rubber sheet		1,0
	Water play Grounds	Play equipment in water or near water with sand on the ground or sports equipment in a shallow pool. The children must have sufficient room around them in a water playground (a minimum area of 100 m2).		1,0
				4,0
	Activity programs for children	at least 3x a week, in the main season		9,0
	Activity programs	excursions, trips, sports events		5,0
	for adults			5,0
4.	Play equipment: to	tal	17,5	7,0

## A summary of the categories of camp and cabin sites in the Czech Republic validity 5 years

*	The facility must meet the minimum requirements for the operation of an accommodation facility – have secured easy access, a drinking water source, basic sanitary amenities and municipal refuse removal. The facility must provide a reception service and the regular cleaning of the facility, especially the sanitary amenities, must be secured.	
	The average from the overall evaluation (the Facility, the Camp Accommodation Sites or the Cabins-Permanent Beds and the Sanitary Amenities) must result in at least the following number of points:	3
**	The facility must meet the minimum requirements for the operation of an accommodation facility - have secured easy access, a drinking water source, basic sanitary amenities and municipal refuse removal. The facility must provide a reception service and the regular cleaning of the facility, especially the sanitary amenities, must be secured.	
	The average from the overall evaluation (the Facility, the Camp Accommodation Sites or the Cabins-Permanent Beds and the Sanitary Amenities) must result in at least the following number of points:	5
	The average from the evaluation (Swimming, Sport, Activities) must result in at least the following number of points:	1,5
	the camping and cabin site must also fulfil the following/the facility must include:	
***	the sale of basic foodstuffs, especially breadstuffs every morning	
	hot water in the showers and at all of the washbasins (with the exception of the service washbasin at the toilet) at least 6 hours a day	
	sanitary amenities for handicapped people	
	a kitchenette with the minimum equipment for guests	
	The average from the overall evaluation (the Facility, the Camp Accommodation Sites or the Cabins-Permanent Beds and the Sanitary Amenities) must result in at least the following number of points:	7
	The average from the evaluation (Swimming, Sport, Activities) must result in at least the following number of points:	4,5
	the camping and cabin site must also compulsorily fulfil the following/the facility must include:	
****	camp security – the entire facility is fenced or secured with a physical guard service in the main season, possibly a camera system throughout most of the facility	
	the option of internet use – an internet point or partial WiFi coverage	
	the option of placing valuables into safekeeping at reception	
	catering within the facility – at least refreshments	
	the sale of a sufficient range of foodstuffs	
	thot water in the showers and at all of the washbasins (with the exception of the service washbasin at the toilet), non-stop	
	sanitary amenities for handicapped people	

17.

	the camping and cabin site must also fulfil the following/the facility must include:	
	the tourist sites must be clearly separated/demarcated – at least 20%	
	hygiene cabins (lockable rooms with a washbasin)	
****	a changing table for babies	
****	a basin in the chemical toilets	
	the option of hand washing clothes	
	a laundry room (a washing machine, a drier)	
	secured service parking for accommodated vehicles	
	the average from the overall evaluation (the Facility, the Camp Accommodation Sites or the Cabins- Permanent Beds and the Sanitary Amenities) must result in at least the following number of points:	9
	the average from the evaluation (Swimming, Sport, Activities) must result in at least the number of points:	7
	the camping and cabin site must also fulfil the following/the facility must include:	
	the option of paying using a payment card	
	camp security – the entire facility is fenced and secured with a physical guard service in the main season or a camera system throughout most of the facility or a physical guard service during all opening hours	
	the option of internet use – an internet point and partial WiFi coverage or WiFi with complete signal coverage of the accommodation areas	
	the option of placing valuables into safekeeping at reception – safe deposit boxes	
	catering within the facility – a restaurant	
	an independent shop with foodstuffs in the facility	
****	hot water in the showers and at all of the washbasins (with the exception of the service washbasin at the toilet), non-stop	
*****	sanitary amenities for handicapped people	
	a fully equipped kitchenette for guests	
	the camping and cabin site must also fulfil the following/the facility must include:	
	the tourist sites must be clearly separated/demarcated, at least 50%	
	the number of comfort sites for tents and caravans, at least 10%	
	hygiene cabins (lockable rooms with a washbasin) – more than 20% of the total number of washbasins	
	a baby room	
	sanitary amenities adapted for children	
	separate sanitary amenities at some tourist accommodation areas	
	a chemical toilet drain	
	the option of hand washing clothes	
	a laundry room (a washing machine, a drier, the option of ironing)	
	paved service parking for mobile homes	

3.

#### The categorisation of the camp and cabin sites in the Czech republic - the implementing regulation

evaluation:	share (a)	selecti on (b)	max. (c)	com	npuls	ory i	min. i)
				2	3	4	5

Swimming (Water qua	ity is not evaluated)		
Open-air swimming	j pools		
ased swimming pools w	s to swimming pools, not to natural outdoor swimming areas. Tempo ill not be evaluated. Any indoor or outdoor swimming pools must be l d for the camp site guests		
	the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)		2,0
Realisation	the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water		2,0
/ maintenance	imaginatively created and varied forms		2,0
	entertainment facilities in the water, slides, whirlpools,		
	the presence of showers, toilets, changing cabins, a sunbathing terrace or seating on deck chairs, small baths for cleaning the feet		2,0
	heated water in the swimming pool		3,0
The maintenance of the	The inspector will evaluate the impression, the fencing and the separation (not with barbed wire)		3.0
	With barbed Wife)		3,0
area around the swimming pool	the planting of greenery, benches, paintwork		
area around the swimming pool	ools	ed swimmin	7,0
area around the swimming pool  Indoor swimming pole following only applies to sw	ools imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas door swimming pools must be located directly within the facility and designated for the	ed swimming camp site gi	g pools will not
area around the swimming pool  Indoor swimming pole following only applies to sw	ools imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas	ed swimming camp site gu	g pools will not
area around the swimming pool  Indoor swimming pole following only applies to sw	ools imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas door swimming pools must be located directly within the facility and designated for the	ed swimming camp site gr	g pools will not
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas boor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and	ed swimming camp site gi	g pools will not uests 4,0
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork,	ed swimminning camp site gu	g pools will not lests  4,0  2,0
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water	ed swimming camp site gu	g pools will not uests  4,0  2,0
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water  the environment and facilities in the entire building	ed swimming camp site gu	g pools will not lests  4,0  2,0
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas door swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes) the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water the environment and facilities in the water, slides, whiritpools, the presence of showers, toilets, changing cabins, terraces or	ed swimming camp site gi	g pools will not uests 4,0 2,0 2,0 4,0
area around the swimming pool  Indoor swimming p te following only applies to swe avaluated. Any indoor or out	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas door swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs  the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and thes, entertainment facilities in the water  the environment and facilities in the entire building entertainment facilities in the water, slides, whirlpools,  the presence of showers, toilets, changing cabins, terraces or seating on deck chairs	ed swimming camp site gi	g pools will not lests  4,0 2,0 2,0 4,0 4,0
area around the swimming pool  Indoor swimming pole following only applies to sw	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water the environment and facilities in the entire building entertainment facilities in the water, slides, whirlpools, the presence of showers, toilets, changing cabins, terraces or seating on deck chairs  this is understood to mean a lake, fishpond or river	ed swimming camp site gi	3 pools will not 4,0 2,0 4,0 4,0 8,0
area around the swimming pool  Indoor swimming p te following only applies to swe avaluated. Any indoor or out	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water  the environment and facilities in the entire building entertainment facilities in the water, slides, whirlpools, the presence of showers, toilets, changing cabins, terraces or seating on deck chairs  this is understood to mean a lake, fishpond or river boat and peddle-boat hire	ed swimming camp site gu	2,0 2,0 4,0 4,0 8,0 2,0
area around the swimming pool  Indoor swimming p e following only applies to swevaluated. Any indoor or out	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bastoor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water  the environment and facilities in the entire building entertainment facilities in the water, slides, whirlpools, the presence of showers, toilets, changing cabins, terraces or seating on deck chairs  this is understood to mean a lake, fishpond or river boat and peddle-boat hire outside showers	ed swimming camp site gi	2,0 2,0 4,0 2,0 4,0 2,0 4,0 4,0 2,0 2,0 2,0
area around the swimming pool  Indoor swimming p te following only applies to swe avaluated. Any indoor or out	imming pools, not to natural outdoor swimming areas. Temporary, mobile surface-bas foor swimming pools must be located directly within the facility and designated for the Swimming pools with permanent roofs or retractable roofs the quality of the used materials and the finish in the swimming pool (tiles, stainless steel, plastic, plastic film, cemented and painted, surface finishes)  the condition of the maintenance of the specific sanitary measures, the paintwork, plastic and tiles, entertainment facilities in the water  the environment and facilities in the entire building entertainment facilities in the water, slides, whirlpools, the presence of showers, toilets, changing cabins, terraces or seating on deck chairs  this is understood to mean a lake, fishpond or river boat and peddle-boat hire	ed swimming camp site gu	2,0 2,0 4,0 4,0 8,0 2,0

1.	Swimming (outdoor, indoor swimming pool, natural swimming area): total achieved points		21,0
	credited points - a maximum number of 15 points	37,5	15,0

a) share as a % of the total evaluation | b) selection from possible variants | c) max. number of points | d) compulsory min. number of points for the given number of stars

ervice parking for ne quality of the alisation / aintenance ervice parking: to giene	the facility includes a specially equipped area as service parking for mobile homes with at least a drinking water supply and a drain for wastewater  the service parking for mobile homes is clearly marked and there is a paved flat base which the mobile homes can drive onto  easy accessibility and simple entry and exit	, if pos ethod o	sible.		2	3	2	4
ne quality of the alisation / aintenance ervice parking: to	the facility includes a specially equipped area as service parking for mobile homes with at least a drinking water supply and a drain for wastewater  the service parking for mobile homes is clearly marked and there is a paved flat base which the mobile homes can drive onto easy accessibility and simple entry and exit  tal  The inspector will evaluate the hygiene of the toilets, urinals, show common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and me the toilets and urinals - no calcium build-up on the porcelain, cle	wers, w	sible.	2,0 4,0			2	4
ne quality of the alisation / aintenance ervice parking: to	the facility includes a specially equipped area as service parking for mobile homes with at least a drinking water supply and a drain for wastewater  the service parking for mobile homes is clearly marked and there is a paved flat base which the mobile homes can drive onto easy accessibility and simple entry and exit  tal  The inspector will evaluate the hygiene of the toilets, urinals, show common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and me the toilets and urinals - no calcium build-up on the porcelain, cle	wers, w	sible.	2,0 4,0			2	4
alisation / aintenance ervice parking: to	for mobile homes with at least a drinking water supply and a drain for wastewater  the service parking for mobile homes is clearly marked and there is a paved flat base which the mobile homes can drive onto easy accessibility and simple entry and exit  tal  The inspector will evaluate the hygiene of the toilets, urinals, show common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cle	wers, w	sible.	2,0 4,0			2	4
aintenance ervice parking: to	paved flat base which the mobile homes can drive onto easy accessibility and simple entry and exit  tal  The inspector will evaluate the hygiene of the toilets, urinals, shor common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, clr	wers, w	sible.	<b>4,0</b>			2	4
	The inspector will evaluate the hygiene of the toilets, urinals, sho common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cl	wers, w	sible.	ns and			2	4
	The inspector will evaluate the hygiene of the toilets, urinals, sho common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cl	wers, w	sible.	ns and			2	4
giene	common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cl	, if pos ethod o	sible.					
giene	common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cl	, if pos ethod o	sible.					
	common areas. Ascertain by questioning the guests at the facility Emphasis is placed on apparent soiling and the frequency and m the toilets and urinals - no calcium build-up on the porcelain, cl	, if pos ethod o	sible.					
		ean						
	3							
	the showers - no dirt and build-up on the shower head, the floor and the transitis floor and the walls. The soap holders and shelves are clean, as is the shower dibuild-up/soiling on the walls, seats, ceilings and doors.							
Cleaning  the washrooms - no dirt on the walls, floors, ceilings, mirrors and on the internal sides of the doors in the washing cabins. The sink and the drain are clean and without any build-up on the edges and the silicon seal is without any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them								
giene: total		2,8		5,0				
				12,0				
nitary amenities:	the average from the individual sanitary amenities according to the sum of	50,0		12,0				
n	nitary amenities:	any mould. The soap holders and the shelves are clean, the lig without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and it without any build-up behind the taps, the windows and doors are clean, the windows without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whe sanitary amenities were clean when the guests arrived by interplace total  sittary amenities: the average from the individual sanitary amenities according to the sum of	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors without any build-up behind the taps, the windows and doors are clean, the window sills without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing liene: total  2,8	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them  gleine: total  2,8	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them  plene: total  2,8 5,0 12,0	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them  plene: total  2,8  5,0  12,0	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc.), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them  glene: total  2,8  5,0  12,0  12,0  13,0	any mould. The soap holders and the shelves are clean, the lighting is without any dust, soiling and insects  the common areas (doing laundry and washing the dishes, etc), the walls and the floors are clean, without any build-up behind the taps, the windows and doors are clean, the window sills are without any insects, the lighting is without any dust, soiling or insects  the private sanitary amenities - the inspector will ascertain whether the sanitary amenities were clean when the guests arrived by interviewing them  plene: total  2,8  5,0  12,0  12,0  13,0

evaluation:	share (a)	selecti on (b)	max. (c)	com n		ory n er (d)	
		(5)		2	3	4	5

A) THE FACILITY						
The facility means the area inside the borders of the camp site. The only exception to this is the entrance to the camp site. Guests enter along an access road.						
1.	The entrance					
		paved dustless		2,0		
		wide and spacious so that long vehicles can pass		2,0		
	The access road to the camp site	sufficiently lit		2,0		
		a guarded entrance (a guard service, monitoring, a barrier)		3,0		
				9,0		
	The preconditions	signs on the approach roads		2,0		
	for finding the camp	clear signs leading to the actual camp site		1,0		
	site			3,0		
	The parking area for cars or caravans	the parking area (the parking space capacity) is sufficiently large for the cars and caravans of the incoming guests		5,0		
	upon arrival	there are clear signs leading to the car park		1,0		
	·			6,0		
1.	The entrance: total		2,8	6,0		

2.	The reception				
The	e reception will be eva	aluated, if this involves a reception or a registration point			
		the reception is clearly marked, including a visible sign with the opening hours		3,0	
	Functional equipment	the receipt of guests takes place inside (not outside at a window) a room specially equipped for this purpose		3,0	
		there is a map of the camp and a pricelist (hung on the wall or as a handout), there is information on the camp rules, first aid, dentists, etc.		4,0	
		there is local tourist information and tips for trips available, walking maps and postcards are on sale		4,0	
	Functional equipment	there is a postal service and the option of leaving messages		2,0	
	oquipinoni	the option of paying using a payment card		4,0	4
				10,0	
	The appearance and maintenance of the	the maintenance of the unit (paintwork, the floor, furniture)		6,0	
	interior			6,0	
2.	The reception: total		3,7	8,0	

3.	Hygiene - Automati	ic Flushing		
	icks are often not nec erage evaluation will b	essary in very small camps. If the inspector considers this to be be used	the c	ase, the
		the type of carriageway conforms to the type of enterprise, for example a forest track in a forest camp site, but without uneven areas and potholes - the carriageways are reinforced, a dustless solid surface (asphalt is not a precondition)		2,1
	Amenities/	the entrance and departure tracks are sufficiently wide for two- way traffic. This is not necessary, if they are marked as being one-way		2,1
	Maintenance	secured passage for emergency situations (fire engines, ambulances), the corners are sufficiently wide, no branches blocking passage		2,0
		the accommodation areas are easily accessible, the entrances to them are also sufficiently spacious for caravans/mobile homes		4,0
				5,0
	Roads/tracks: tota	al	2,3	5,0

evaluation:	share (a)	selecti on (b)	max. (c)		npuls numb		
				2	3	4	5

4.	Direction signs/lighting								
	The realisation and maintenance of the	the type and size depends on the size of the enterprise - the clarity of the direction signs, possibly supplemented with maps, is important - correct and simple navigation (the elimination of uncertainty). The equivalent is a map of the facility which every guest receives upon arrival			4,0				
	direction signs	the quality of the used materials and their maintenance, visibility							
		also suitable for children/foreigners (recognisable characters/symbols without the need to understand the text)							
		the buildings and main tracks are well lit			3,0				
	Lighting	the lighting is well distributed, the secondary tracks are equipped with orientational lighting			3,0				
					5,0				
4.	Direction signs/light	ing: total	2,3		5,0				

5.	The maintenance of	greenery		
	The maintenance of greenery	the greenery is well maintained (the grass is mown, the trees are trimmed and any old branches have been removed)		3,0
		the planting of greenery has achieved the pleasant natural division of the facility, the facility is well integrated into the surrounding terrain		2,0
				5,0
5.	The maintenance of o	greenery: total	2,3	5,0

6.	The maintenance of order in the facility							
		the separate collection of sorted waste (at least glass, paper, plastic, other/communal waste)		2,0				
	The collection and removal of rubbish	no overfilled large containers		1,0				
	Terrioval of Tubbish	the containers are suitably disguised (behind a wooden wall, greenery) - the containers are located in such a way so that they do not disturb the environs with smell or noise		1,0				
	The material store	The highest evaluation will be achieved, if none of the stored material is visible - it is in a separate part		2,0				
				6,0				
	Small scale waste	There is no rubbish (cans, papers, bottle tops, etc.) in the entire facility or at any of the set places		6,0				
				6,0				
6.	The maintenance of	order in the facility: total	2,8	6,0				

7.	Miscellaneous: total							
		a physical guard service - throughout all the opening hours		4				
		only in the main season		2				
	Camp security	fencing around the entire facility			2			
	Camp security	a camera system covering - only the exit		1				
		most of the facility		4				
			1,2		10,0		2	4
	The likebourse	a freezer			1,0			
	The kitchenette - space for the guest to do their own cooking, cooking elements available	a refrigerator			1,0			
		a sink with hot and cold water			1,0			
		the condition and functioning of the equipment			3,0			
			0,5		4,0	1	2	3

	evaluation:	share (a)	selecti on (b)	max.	com	puls umb		
l					2	3	4	5

11.	The option of doing	ı laundry					
	The option of doing laundry	A place for doing laundry is considered to mean a stainless steel or ceramic sink at a working height with hot water (directly above the sink or in its direct vicinity)					
		the provision of lighting		1,0			
	Realisation /	sufficient bench space or possibly also shelves		1,0			
	maintenance	the condition of the maintenance is important - the taps, tiles, walls, drainage baskets, floor, washboards and sinks		2,0			
11.	The option of doing	laundry: total	2,2	4,0		2	3

12.	The laundry							
		An area with a washing machine, a drier and the possibility of doing ironing will be	e evaluate	d as a laun	dry			
		the option of an automatic washing machine			2,0			
	The quality of the realisation /	the option of a drier			1,0			
	maintenance	the option of ironing			1,0			
		the overall technical conditions (the machines and the area)			2.0			
		good tiles / high quality artificial walls and floor			2,0			1
12.	The laundry: total		3,3		6,0		4	

3. The sanitary building	(as a whole)		
Separate washbasins and toilets	they are separated - if the washbasins and the showers are not located in the same room as the toilets, they do not have to be separated all the way to the roof, however 1 (emergency) toilet may be installed at min. 2.2 m in the washrooms		4,0
	the buildings are functionally equipped		
	the doors open in the logical direction		3,0
	equal lighting		
Equipment / area	an entry area with a cleaning zone		2.0
	the good labelling of the parts of the sanitary facility (directions, pictor	ograms	
	built-in pipes / not visible	_	2,0
	the condition and functionality of the enclosure of the individual area	S	2,0
	good ventilation		2,0
	The inspector will evaluate the immediate environs		
The condition and maintenance of the	the good condition and maintenance of the wooden structures, paintwork, the glass in the glazed areas (clean),		
exterior	exterior lighting		5,0
	greenery and access paths		
The overall	The inspector will evaluate the external impression of the sanitary amenities,  Especially the architecture		
Impression	the appearance, flowers and plants, cosiness, the harmony with the environs, The functionality		
3. The sanitary building	ng (as a whole): total	.,8	5,0

evaluation:	share (a)	selecti on (b)	max. (c)	com	puls	ory n er (d)	nin.
				2	3	4	5

5.	The baby room: on	lly either a changing table or a fully equipped baby room are evo	aluated	ı				
	There is no separate	e room, just a changing table		1				
		a baby room is considered to be a room with sufficient space which includes:						
There is no separate room, just a changing table  a baby room is considered to be a room with sufficient space								
		a rubbish bin						
		space for changing the baby						
	DU	pipes in the wall, not freely visible		1				
	Realisation	tiles / high quality plastic to a height of at least 180 cm		1				
				2				
5.	The baby room: to	tal	2,2		4,0		1	3

6.	Sanitary amenities	for children				
	Sanitary amenities for children	Sanitary amenities are considered to have been designated for children, if there is one child's toilet, a child's shower and a child's washbasin.  Max evaluation, if all these amenities are included.		2,0		
	The creativity / resourcefulness of the realisation	ranging from interesting tiles through to, for example, Mickey Mouse fittings		1,0		
6.	Sanitary amenities	for children: total	1,7	3,0		2

7.	Sanitary amenities	for handicapped people						
		This is considered to involve a toilet, a washbasin and a shower water	with hot	and col	d			
		there are no doorsills						
	Sanitary amenities for handicapped people  The creativity / resourcefulness of the realisation	the net width of the door is at least 90 cm						
		there are no doorsills the net width of the door is at least 90 cm there is sufficient room to turn a wheelchair around the toilet is raised and fitted with handles the washbasin and mirror are at the level for a wheelchair the shower is equipped with a seat pipes in the wall, not freely visible tiles / high quality plastic to a height of at least 180 cm emergency signalling equipment  1,0 emergency signalling equipment						
		the toilet is raised and fitted with handles						
		the washbasin and mirror are at the level for a wheelchair						
		the shower is equipped with a seat						
		pipes in the wall, not freely visible			1,0			
		tiles / high quality plastic to a height of at least 180 cm			1,0			
		emergency signalling equipment			1,0			
	resourcefulness of	partition walls, the hooks, the finishing of the walls, floors and ceilings, the condition of the maintenance of the walls and floors, the mirrors, the soap			3,0			
7.	Sanitary amenities	for handicapped people: total	3,3		6,0	3	4	4

8	В.	Individual sanitary	amenities					
			Individual sanitary amenities - a shower, washbasin and toilet					
			sanitary facilities directly on site for 2% and more sites		1			
			sanitary facilities directly on site for 5% and more sites		2			
L			sanitary facilities directly on site for 10% and more sites		3			
8	В.	Individual sanitary	amenities for the accommodation sites: total	1,7		3,0		1

	evaluation:	share (a)	selecti on (b)	max. (c)	com	puls		
					2	3	4	5

	The internet	internet point			2,0			
		WiFi connection (partial, for example in the area around reception)		2				
	For guests	WiFi connection (complete: including coverage of the accommodation areas)		7				
			1,0		9,0		2	4
	The option of	the option of placing valuable in safekeeping at reception		2				
	placing valuables	individual safe deposit boxes		4				
	into safekeeping		0,5		4,0		2	4
		a telephone available in the facility 24 hours a day - reception		2				
	Telephone	a telephone available in the facility 24 hours a day - a phone box		5				
			0,6		5,0			
7.	Miscellaneous: tota	ı	3,7		8,0			

Cate	ering, sales					
8.	Catering - in the facility	The quality of the facility's food is not evaluated by this cate catering building is only evaluated once	gorisat	ion, each		
	Restaurant	A restaurant is considered to be a pleasantly fitted out area when the basis of a menu, with service, where the menu at least conta courses, deserts and a drinks list				
		the restaurant has its own toilets		2,0		
	Amenities/equipme nt/the restaurant	this is involves a pleasant and harmonically fitted out room (furniture, decorations, lighting, table laying)		2,0		
	atmosphere	there is sufficient room between the tables for a high feeling of privacy, equipped with comfortable chairs and spacious tables		3,0		
	Condition/maintenance	the condition of the paintwork, furniture, floors		3,0		
			2,31	10,0		
	Snack bar/refreshments	a snack bar can be considered to be a refreshment stand or a ca does not meet the conditions for a restaurant	atering b	ouilding which		
		a room where customers wait for the food, the option of consuming the food on site		2,0		
	Amenities	various drinks		1,0		
		light refreshments		1,0		
		a rubbish tin available		1,0		
	Condition/maintenance	the condition of the paintwork, furniture, floors		3,0		
			0,93	4,0		
8.	Catering: total	Only the restaurant, then the restaurant*0.6, only refreshments, then the value of the refreshments, if both, then the arithmetic average of both	3,2	7,0	4	

9.	Food/sales						
	Sales	the sale of a range of basic foodstuffs and hygiene products, breadstuffs		3,0			
	Sales	a sufficient product range		3,0			
		sales at an independent camp store		3,0			
	Condition /maintenance	the condition of the paintwork, furniture, floors		3,0			
				4,0			
9.	Food/sales: total		1,9	4,0	1	2	3
A) T	HE FACILITY: TOTAL		25	6,0			

evaluation:	share (a)	selecti on (b)	max. (c)		puls		
				2	3	4	- 5

1.	The sites							
		a comfort site is considered to be a demarcated site equipped will connection, its own water connection or a shared water connection and its own/independent wastewater drain (a sewer outlet which from a caravan/mobile home)	on (1 ta	p for two	sites			
	The number of comfort sites	comfort sites account for more than 5% of all sites		2				
	comfort sites	comfort sites account for more than 10% of all sites		4				
		comfort sites account for more than 15% of all sites		6				
		comfort sites account for more than 25% of all sites		8				
			2,2		8,0			4
		the minimum number of tourist sites which are clearly separated numbers, stones, signs, trees or in any other way:	by mea	ns of po	sts,			
		number 20%		2				
	Separate / demarcated sites	number 50%		4				
	demargated sites	the separation is clear so that everybody can see how deep the sites are			1,0			
		the posts/signs are in good condition, easily legible			1,0			
			1,6		6,0		4	6

1.	The sites: total		11,5		11,0
		<u> </u>	1,6		6,0
	sites	the sites are also easily accessible with a trailer, no branches in the way			2,0
	accessibility of the	the surface is flat, without terrain deformations			3,0
	The realisation /	grass or another dust-free surface			1,0
			6,6		24,0
		site size greater than 120 m2	6,6	24	
		site size 100 -120 m2	4,1	15	
		site size 80 - 100 m2	2,2	8	
		site size 60 - 80 m2	1,1	4	
		if the sites are not actually separated, the entire area will be calculated and the total area designated for accommodation reduced by a 3 m $_{\rm W}$	d from the r ide track	number	of sites
	Average site size	If the sites are adjacent to one another, 3 metres of width will be passage of pedestrians and vehicles	e deducte	d for th	ne
		in the case of sites with separate parking for the cars, an area to the area of the sites without car access	of 15 m2 v	will be a	added
		the sites designated only for hikers and the sites designated or also not included in the average	nly for mol	oile hor	nes are
		the inspector will measure at least 4 sites at different locations biggest or smallest site fully exceeds the average for the other included in the evaluation			

evaluation:	share (a)	selecti on (b)	max. (c)		ipuls iumb		
				2	3	4	5

3.	Showers				
		the total number of showers with hot water. A family shower is only counted as one shower			
	The number of showers with hot	1 shower per 20 sites		1	
	water	1 shower per 15 sites		3	
		1 shower per 10 sites		6	
			1,9		6,0
	Realisation, dimensi	a shower with a lockable stall, a partition in the stall which prevents the removed clothing from getting wet			2,0
	Lighting	individual lighting or a long fluorescent tube which simultaneously lights two cabins. The lights must be in good condition and quality.			1,0
	Clothes hooks	at least two hooks per shower			1,0
	Seating	understood as being permanently installed			1,0
	Family showers - min. 1 per 40 sites	a family shower is considered to be a locakable area with at least two showers, sufficiently spacious for 2 people to shower at once			1,0
			2,2		7,0
	Realisation	tiles / high quality plastic to a height of at least 180 cm			1,0
	Realisation	pipes in the walls, not visible on the surface			1,0
	Maintenance (technical)	<ul> <li>the quality of the used materials: the shower fittings, the dividing walls and the hooks, the finishing of the walls, floors and ceilings, the condition of the maintenance of the walls, floors and ceilings, the locking function</li> </ul>			3,0
			1,5		5,0
3.	Showers: total		5,6		10,0

L.	Washbasins							
	The number of	1 washbasin per 15 sites		1				
	washbasins.	1 washbasin per 12 sites		3				
	Service basins are not included, but	1 washbasin per 8 sites		6				
	hygiene cabins are		1,9		6,0			
	Hygiene cabins (a	the number of hygiene cabins:						
	closable and	- a total of up to 20% of the total number of washbasins	0,3	1			1	
	a washbasin)	- more than 20% of the total number of washbasins	0,6	2				
	Sockets at the washbasins	the presence of sockets - within reach of each washbasin		2				
		- only at some washbasins		1				
	The distance between taps	from 85 cm or if there is a partition between the washbasins			1,0			
	Lighting	individual lighting or a long fluorescent tube which simultaneously lights two cabins. The lights must be in good condition and quality.			1,0			
	Clothes hooks	at least one hook per washbasin			1,0			
			2,2		7,0			
	Realisation	pipes in the wall, not freely visible			1,0			
	Realisation	tiles / high quality plastic to a height of at least 150 cm			1,0			
	Maintenance (technical)	<ul> <li>the quality and condition of the used materials - the fittings, washbasins, partition walls and hooks, the finishing of the walls, floors and ceilings, the condition of the maintenance of the walls and floors, mirrors, soap dispensers, sockets and rubbish bins</li> </ul>			3,0			
			1,5		5,0			
ı.	Washbasins: total		5,6		10,0			

evaluation:	share (a)	selecti on (b)	max. (c)	com	npuls numb		
				2	3	4	5

D) S	Sanitary amenities (th	ne average from all of the sanitary buildings)						
the	percentile representation	of the individual sanitary amenities according to the number - toilet+shower+wa	shbasir	1	100,0			
1.	Hot water							
		non-stop in the showers and in all of the washbasins (excluding the service basin in the toilet)	5,6	10				
	Hot water available	at least 6 hours/day in the showers and at all the washbasins, except the service basin	2,8	5				
	available	at least 6 hours/day in the showers and at some of the washbasins	1,1	2				
1.	Hot water: total		5,6		10,0	5	10	10

	Toilets and urinals				
	The number of	the total number of toilets, urinals and long-drop toilets - maximum evaluation: one toilet per ten sites - the number of tourist sites + seasonal sites + the number of other sites which are used. The sanitary amenities are divided by the number of toilets			
	toilets (including urinals)	1toilet for 20 sites		1	
		1 toilet for 15 sites		3	
		1 toilet for 8 sites		6	
			1,6		6,0
	Dimensions	sufficient distance from the edge of the tollet bowl to the doors, in the case of laterally positioned toilets, the distance to the walls is min. 60 cm			1,0
	Lighting	individual lighting or a long fluorescent tube which simultaneously lights two cabins. The lights must be in good condition and quality.			1,0
		located centrally, for example in the aisle		1	
	Toilet paper	individually - placed in each cabin		3	
Ī	Clothes hooks	at least one hook per toilet			1,0
	Rubbish bin (the ladies' toilets)	one rubbish bin with a lid or a rubbish shaft with a flap in each lady's toilet			1,0
	Service Washbasin	specially for washing hands after the use of the toilet at a distance of less than 5 m. Any other method with a tap (for example, when washing dishes) - not considered to be a service basin			1,0
ı			2,1		8,0
		tiles / high quality plastic to a height of at least 150 cm			1,0
	Realisation	pipes in the walls, not visible on the surface			1,0
	Maintenance (technical)	the quality of the used materials in the toilet bowls, urinals, dividing walls and hooks, the finishing of the walls, the floor and the ceilings, the cistem, the condition of the maintenance of the walls, the floors, the ceilings, the toilet bowls, the urinals, the doors, the pipes, the functionality of the flush mechanisms and the locks			3,0
Ì			1,3		5,0
		sensor/timed - only urinals		1	
	Hygiene -	sensor/timed - urinals and toilets		2	
	Automatic flushing		0,5		2,0
	Toilets and urinals:		5.6		10.0

evaluation:	share (a)	selecti on (b)	max. (c)	com	puls		
				2	3	4	5

2.	Electr. connections	This involves electrical connections at tourist sites			
		connections for 10% - 25 % of sites		1	
		connections for 25% - 50 % of sites	1,62	3	
	The total number	connections for 51% - 75% of sites	3,23	6	
		connections for 76% - 100% of sites	4,85	9	
			4,9		9,0
		the maximum distance to an electrical box: 20 m			1,0
		it is not necessary to extend a cable across the track			1,0
		the electrical box can be closed (it does not have to be lockable)			1,0
	Realisation / maintenance	the electrical box is located at least 50 cm above the ground and it is protected against the rain			1,0
		the electrical box/post is in good visual and technical condition			1,0
			4,9		5,0
	Electrical connecti	ons: total	7,3		7,0

3.	Water sources	This involves the option of drawing water for the tourist sites			
		the tap is located at a height of 45 cm or more from the ground which enables the easy drawing of water into a canister			1,0
	Realisation /	the surface around the point with the tap has been reinforced			1,0
	maintenance	it includes a drain into the sewer for dirty water			2,0
	maintenance	the place for drawing water is in a good visual and technical			2,0
		condition	3,1		6,0
	Distance	the evaluated maximum distance of the drinking water source from at least 80% of the accommodation sites			
		up to 100m	1,04	2	
		up to 50 m	2,08	4	
		up to 25m	3,13	6	
			3,1		6,0
3.	Water sources: to	otal	6,3		6,0
					6,0
		 ventile representation of the number of people in the accommodation arison with permanent bed accommodation	sites (	3.5	100,0
D)	Accommodation site	no: total	25.0		6,0

2 3 4 5	evaluation:	share (a)	selecti on (b)	max. (c)		ipuls iumb		
					2	3	4	5

	nanent accommodation in camps. The term "cabin" is also cons e, mobile homes, rooms and so on	sidered	to include
	intile representation of individual types of cabins in the number of accommodated on the sites		100,0
	cabin exterior lighting		1,0
	a place to sit outside the cabin, including amenities		2,0
	the outdoor seating is covered by a roof		1,0
Exterior	sufficient free space between the individual cabins		1,0
requirements for cabin amenities	parking at the cabin or in the vicinity of the cabin, reinforced and groomed access paths and tracks		2,0
	wheelchair access in at least one cabin		2,0
	the overall impression of the used materials and the tidiness of the cabin		3,0
Exterior requireme	nts: total	3,85	6,0

	sufficient cabin lighting		1,0
	220V sockets		1,0
	permanent beds, at least 80x190 cm		1,0
	a night table or a shelf for each bed		2,0
	a table or work desk		1,0
	a chair or armchair corresponding to the number of beds		2,0
a wardrobe, including shelves and coat hangers, sufficiently spacious bedding		2,0	
		1,0	
	bed linen		1,0
	a rubbish bin		1,0
	a mirror		1,0
curtains or other means of shading the windows a radio, possibly also only hired a TV - possibly also only hired	curtains or other means of shading the windows		1,0
		3,0	
	3,0		
	the overall impression of the used materials and fittings		3,0
Interiors: total		3,85	6,0

	large emphasis of the overall impression of the used materials and equipment		3
	a dishwasher		2
the cabin has one	glasses, pots, cutlery, plates, etc. (min. 1/bed)		1
A kitchenette - this is only evaluated, if	dishes for cooking		1
	an electric kettle		1
	a microwave oven		1
	a refrigerator/freezer		1
	a cooker + oven		2

	evaluation:	share (a)	selecti on (b)	max. (c)	compulsory min number (d)			
					2	3	4	5
	only a washbasin		2,0					
	complete sanitary amenities		8,0					
T. C	lighting (preferably an independent light above the washbasin)			1				
The fittings in the sanitary amenities -	a bathroom cabinet or shelf above the washbasin			1				
this is only	a mirror above the washbasin			1				
evaluated, if it is	towel and facecloth holders			2				
part of the cabin	a toilet paper holder			1				
	a razor or hair drier socket			1				
	the overall impression of the used materials and fittings			3	İ			
Sanitary amenities: total		5,77		9,0				
The overall area	3.5 m2		2					
per bed, not counting the sanitary amenities	4 m2		4					
	4.5 m2		6					
	5 m2 and more		9					
The area: total		5,77		9,0	1			
e total evaluation for t	he individual types of cabins			6,0				
abins and other permanent	the overall average according to the percentile representation of the individual types	25,0		6,0				